

## Needle Non Thrust Roller Bearings cross reference guide

Our company offers different Needle Non Thrust Roller Bearings cross reference guide, timken cross reference chart, needle roller bearing size chart pdf, needle roller thrust bearing size chart at Wholesale Price? Here, you can get high quality and high efficient Needle Non Thrust Roller Bearings cross reference guide

Needle Roller Bearings - NTN SNR In no case shall NTN be liable for any special, incidental, or consequential damages based upon breach of warranty .. ring, inner ring, and, needle rollers with a cage to guide the Complex needle roller bearings — Needle roller bearing with thrust bearing — .. this catalog are for bearings constructed of NTN standard

Part Interchange Search | NTN Bearing Some are standard throughout the bearing industry, while some are not. If you're having difficulty finding a direct interchange, try reducing the number of SKF Bearings Master Interchange Whenever possible refer to the SKF Passenger car & light truck catalog- light truck catalog- Vintage (457206), or the SKF Agricultural applications pocket guide . Non-significant when used with pillow blocks. . Thrust needle roller and cage

Needle Non Thrust Roller Bearings cross reference guide								
	e	E	d	H	a	D	G	B
<a href="#">81206TN</a>	-	-	-	52.4 mm	-	-	-	-
<a href="#">812/750 M</a>	-	10 mm	-	33.3 mm	-	-	-	-
<a href="#">812/710 M</a>	-	-	-	-	-	-	M6x1	-
<a href="#">81196M</a>	-	-	-	-	-	-	-	-
<a href="#">81192M</a>	-	-	-	33.3 mm	-	-	R1/8"	-
<a href="#">81188M</a>	18 mm	-	31.75 mm	141 mm	-	-	-	-
<a href="#">81184M</a>	-	-	-	-	-	-	-	-
<a href="#">81180M</a>	15 mm	-	20 mm	113 mm	-	-	-	-
<a href="#">81176M</a>	-	-	-	-	47.8 mm	212.72 mm	-	-
<a href="#">81172M</a>	-	-	-	190 mm	-	-	-	-
<a href="#">ARXJ38X 60X7.5-2 PX1</a>	-	-	20 mm	-	-	-	-	12 mm
<a href="#">2RT9605</a>	-	-	-	-	-	-	-	31 mm
<a href="#">2RT9202</a>	22 mm	-	49.21 mm	-	-	-	-	51.6 mm
<a href="#">2RT9101</a>	-	-	10 mm	-	-	26 mm	-	8 mm
<a href="#">2RT8807</a>	-	-	34.92 mm	185 mm	-	-	M6x1	48 mm
<a href="#">2RT8608</a>	-	-	-	-	-	180 mm	-	60 mm
<a href="#">2RT6016</a>	-	-	55.56 mm	-	-	-	-	45.3 mm
<a href="#">2RT5202</a>	-	-	-	42.9 mm	-	-	-	-
<a href="#">2RT5106</a>	-	-	130 mm	-	-	-	-	-

<a href="#">2RT4427</a>	-	-	55 mm	-	-	-	-	-
<a href="#">2RT4426</a>	-	-	-	54 mm	-	-	M6x1	42.8 mm
<a href="#">2RT4416</a>	-	-	-	130 mm	-	-	-	42.9 mm
<a href="#">2RT4046</a>	-	13 mm	-	30.2 mm	-	-	-	34 mm

Bearing Cross Reference Guide - AGCO Parts and Service Mar 17, 2016 - Needle Roller • Thrust • Cam Follower • Housed Units • Flangettes. 21944 Bearing .. This Cross-Reference Guide does not replace the value

Needle Roller Bearings Needle Roller Bearings. CAT. NO. B2020E-1. CAT. NO. B2020E-1 Thrust Needle Roller and Cage Assemblies and Thrust Washers...B -6-12. Unitized For Machine-Tool Quality Precision-Combined Bearings ...B-8- . On this occasion, JTEKT has fully renewed its needle roller bearing catalog, which we present here Needle Roller Bearings Part Number Interchange - National National Precision has a wide selection of needle roller bearings and is authorized to distribute for a number of thrust needle bearings; thrust washers .. \*\*\*This chart is intended as a reference only. ROLLER CLUTCH INTERCHANGE

Needle Non Thrust Roller Bearings cross reference guide				
NACHI	KOYO	INA	FAG	Timken
<a href="#">29476E</a>	<a href="#">29496R</a>	<a href="#">81220-TV</a>	<a href="#">528548B</a>	<a href="#">80TP135</a>
<a href="#">29472E</a>	<a href="#">29492R</a>	<a href="#">81218-TV</a>	<a href="#">528546C</a>	<a href="#">80TP134</a>
<a href="#">29468E</a>	<a href="#">29488R</a>	<a href="#">81217-TV</a>	<a href="#">29496-E-MB</a>	<a href="#">70TPS132</a>
<a href="#">29464E</a>	<a href="#">29484R</a>	<a href="#">81216-TV</a>	<a href="#">29492-E-MB</a>	<a href="#">70TPS131</a>
<a href="#">29460E</a>	<a href="#">29480R</a>	<a href="#">81230-M</a>	<a href="#">29488-E-MB</a>	<a href="#">70TPS130</a>
<a href="#">29456E</a>	<a href="#">29476R</a>	<a href="#">81228-M</a>	<a href="#">29484-E1-MB</a>	<a href="#">70TPS129</a>
<a href="#">29452E</a>	<a href="#">29472R</a>	<a href="#">81226-TV</a>	<a href="#">29484-E-MB</a>	<a href="#">70TP132</a>
<a href="#">29448E</a>	<a href="#">29468R</a>	<a href="#">81224-TV</a>	<a href="#">29480-E1-MB</a>	<a href="#">70TP131</a>
<a href="#">29444E</a>	<a href="#">29464R</a>	<a href="#">81222-TV</a>	<a href="#">29476-E1-MB</a>	<a href="#">70TP130</a>
<a href="#">29440E</a>	<a href="#">29460R</a>	<a href="#">81215-TV</a>	<a href="#">29472-E1-MB</a>	<a href="#">70TP129</a>
<a href="#">29438E</a>	<a href="#">29456R</a>	<a href="#">81214-TV</a>	<a href="#">29468-E1</a>	<a href="#">60TPS127</a>
<a href="#">29436E</a>	<a href="#">29452R</a>	<a href="#">81213-TV</a>	<a href="#">29464-E1</a>	<a href="#">60TPS126</a>
<a href="#">29434E</a>	<a href="#">29448R</a>	<a href="#">81212-TV</a>	<a href="#">81220TN</a>	<a href="#">60TPS125</a>
<a href="#">29432EX</a>	<a href="#">29444R</a>	<a href="#">81211-TV</a>	<a href="#">81218 TN</a>	<a href="#">60TPS124</a>
<a href="#">29432E</a>	<a href="#">29440R</a>	<a href="#">81210-TV</a>	<a href="#">81216TN</a>	<a href="#">60TP127</a>
<a href="#">29430EX</a>	<a href="#">29438R</a>	-	<a href="#">81228 M</a>	<a href="#">60TP126</a>
<a href="#">29430E</a>	<a href="#">29436R</a>	-	<a href="#">81226TN</a>	<a href="#">60TP125</a>
-	<a href="#">29434R</a>	-	<a href="#">81224TN</a>	<a href="#">60TP124</a>
-	<a href="#">29432R</a>	-	<a href="#">81222 TN</a>	<a href="#">50TPS123</a>
-	<a href="#">29430R</a>	-	<a href="#">81215TN</a>	<a href="#">50TPS122</a>
-	<a href="#">29428R</a>	-	<a href="#">81214 TN</a>	<a href="#">50TPS121</a>
-	<a href="#">29426R</a>	-	<a href="#">81213TN</a>	<a href="#">50TPS120</a>
-	<a href="#">29424R</a>	-	<a href="#">81212TN</a>	<a href="#">50TPS119</a>
-	<a href="#">29422R</a>	-	<a href="#">81210TN</a>	<a href="#">50TP123</a>
-	<a href="#">29420R</a>	-	<a href="#">81209TN</a>	<a href="#">50TP122</a>
-	<a href="#">294/710</a>	-	<a href="#">81236M</a>	-
-	<a href="#">294/630</a>	-	<a href="#">81234M</a>	-

-	<a href="#">294/600</a>	-	<a href="#">81232M</a>	-
-	<a href="#">294/560</a>	-	<a href="#">81230M</a>	-
-	<a href="#">294/530R</a>	-	<a href="#">81248 M</a>	-
-	<a href="#">294/500R</a>	-	<a href="#">81244 M</a>	-
-	<a href="#">K,81206LPB</a>	-	<a href="#">81240 M</a>	-
-	<a href="#">K,81118LPB</a>	-	<a href="#">81238M</a>	-
-	-	-	<a href="#">81208 TN</a>	-
-	-	-	<a href="#">81207TN</a>	-

Needle roller bearings 7.3 Needle roller / thrust ball bearings, thrust bearing with a cage . 186  
8.3 Radial shaft seals with low cross sectional height . bearing. Sd. Side face runout with  
reference to the bore (of an inner ring). SD should not exceed IT5 tolerance grade. Guide- line  
values for the tolerance for rectangularityINA CatalogNON-SERIES. MISCELLANEOUS BALL &  
ROLLER THRUST BEARING DIMENSIONS . 14. OD In mm. AXIAL NEEDLE CAGE AND  
ROLLER ASSEMBLIES

Metric Needle Roller Bearing Interchange Guide - AWSDimensional interchangeability only.  
This does not imply interchangeable in all respects. Koyo Prefix. INA Prefix. IKO Prefix. Design.  
81. 81. AZ. Thrust. AS. ASTorrington Needle Roller Bearings - KoyoAs a general rule, there are  
no identifiable markings on needle roller and cage radial . orientation, bearing cross section  
thickness and raceway construction guidance of the needle rollers by the cage bars allows for  
operation at high speeds. .. the reference face of a ring or the back face of a thrust bearing  
washer